



HYBRID STEPPING MOTOR SPECIFICATION

DIMENSIONS unit=mm




Wiring Diagram



Exciting Sequence vs. Direction of Rotation

STEP	A	B	C	D	
1	+	+	-	-	↓ CCW ↑ CW
2	-	+	+	-	
3	-	-	+	+	
4	+	-	-	+	

Clockwise view from mounting side



1. Number of Phase	2				
2. Step Angle	0.9° deg.				
3. Rated Voltage	252 V				
4. Rated Current/Phase	2.8 A (Peak Value)				
5. Phase Resistance	0.9 Ω±0.1(20°C)				
6. Phase Inductance	3.3 mH±20%(1kHz 1V RMS)				
7. Holding Torque	12 Kg.cm				
8. Insulation Class	B (130°) ; 80K Max.				
9. Weight	0.68 kg				
Specifications		Comment		REV.	REVISION RECORD
				DESIGN	DATE
				STANDARD	常州倍士福机电有限公司
				TECHNOLOGY	www.besfoc.cn
				CHECK	Specification
				APPROVE	

TITLE	STEPPING MOTOR				
DWG.NO.	BF57HM56-2804				
MATERIAL	ECN SIGN	※	SIZE	A4	
REV.	A	SCALE	1:2	SHEET	1 of 1